

No.WII/Purchase Cell/23-24/422

Dated: 11.03.2024

To,

Sub: Quotations for Purchase of Workstation Computer for “MSRDC Project”- reg.

Sir,

The Wildlife Institute of India, Dehradun, wishes to procure the **Workstation Computer for the “MSRDC Project”** at Wildlife Institute of India, Dehradun. The details of equipment, quantity and specifications are given below:

S. No	Particulars	Quantity																														
1	<table border="1"> <thead> <tr> <th data-bbox="284 916 480 947">Features</th> <th data-bbox="480 916 1286 947">Qualifying Minimum Requirements</th> </tr> </thead> <tbody> <tr> <td data-bbox="284 947 480 1077">Processor</td> <td data-bbox="480 947 1286 1077">Intel® Core TM i9-13900K (3GHz P-Core base frequency, 2.2GHz E-Core base frequency, up to 4.3GHz E-Core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 36MB L3 cache, 8 P-cores and 16 E-cores, 32 threads)</td> </tr> <tr> <td data-bbox="284 1077 480 1108">Chipset</td> <td data-bbox="480 1077 1286 1108">Intel® W680 chipset</td> </tr> <tr> <td data-bbox="284 1108 480 1171">RAM</td> <td data-bbox="480 1108 1286 1171">64GB DDR5 ECC Memory 4800MHz or better 4 DIMM slots, supporting up to 128 GB</td> </tr> <tr> <td data-bbox="284 1171 480 1234">BIOS</td> <td data-bbox="480 1171 1286 1234">BIOS of the Workstation to have tool for Enhanced security features like self-healing, regular checks.</td> </tr> <tr> <td data-bbox="284 1234 480 1296">Drive Controllers</td> <td data-bbox="480 1234 1286 1296">Integrated SATA controller with minimum 4 x 6Gbps ports & SATA Controller should support RAID 0,1 .</td> </tr> <tr> <td data-bbox="284 1296 480 1359">HDD</td> <td data-bbox="480 1296 1286 1359">1 TB PCIe-4x4 2280 TLC M.2 SSD Drive . System should support additional 3 SATA & 2 x M.2 SSD drives .</td> </tr> <tr> <td data-bbox="284 1359 480 1489">Graphics Card</td> <td data-bbox="480 1359 1286 1489">GPU Memory: 8 GB GDDR6 Interface : 128-bit Bandwidth : Up to 160 GB/s System Interface: PCI Express 3.0 x 16 System should support up to NVidia RTX A5000 24GB CARD in future ready. Certified drivers for CAD applications to be supplied</td> </tr> <tr> <td data-bbox="284 1489 480 1552">Keyboard and Mouse</td> <td data-bbox="480 1489 1286 1552">Minimum 104 keys USB Keyboard and USB Optical Scroll mouse - Same make as that of the workstation</td> </tr> <tr> <td data-bbox="284 1552 480 1583">Audio</td> <td data-bbox="480 1552 1286 1583">High-Definition Integrated Audio with Internal speaker.</td> </tr> <tr> <td data-bbox="284 1583 480 1646">Communications</td> <td data-bbox="480 1583 1286 1646">Integrated Intel® I219LM GbE Controller with Intel® vPro™ with Intel® AMT 16.0 support</td> </tr> <tr> <td data-bbox="284 1646 480 1677">Bays/Slot</td> <td data-bbox="480 1646 1286 1677">5 x Internal/External, 4 x PCI Express Gen5/Gen3, 4 x M.2</td> </tr> <tr> <td data-bbox="284 1677 480 1740">Security</td> <td data-bbox="480 1677 1286 1740">Optional for BIOS controlled electro-mechanical internal chassis lock for the system.</td> </tr> <tr> <td data-bbox="284 1740 480 1803">Ports</td> <td data-bbox="480 1740 1286 1803">Front I/O - 3 x Type-A/C SuperSpeed USB , Rear I/O - 2 x DisplayPort 1.4 [3], 5 x USB</td> </tr> <tr> <td data-bbox="284 1803 480 1955">Operating System</td> <td data-bbox="480 1803 1286 1955">Genuine Win 11 Pro 64 . (OEM declaration for genuineness must be attached.) All drivers required for proper integration of components should be supplied by the vendor. All latest drivers should be available to download from vendor's website. System should support for Red Hat® Enterprise Linux Desktop 8.3 or Higher</td> </tr> </tbody> </table>	Features	Qualifying Minimum Requirements	Processor	Intel® Core TM i9-13900K (3GHz P-Core base frequency, 2.2GHz E-Core base frequency, up to 4.3GHz E-Core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 36MB L3 cache, 8 P-cores and 16 E-cores, 32 threads)	Chipset	Intel® W680 chipset	RAM	64GB DDR5 ECC Memory 4800MHz or better 4 DIMM slots, supporting up to 128 GB	BIOS	BIOS of the Workstation to have tool for Enhanced security features like self-healing, regular checks.	Drive Controllers	Integrated SATA controller with minimum 4 x 6Gbps ports & SATA Controller should support RAID 0,1 .	HDD	1 TB PCIe-4x4 2280 TLC M.2 SSD Drive . System should support additional 3 SATA & 2 x M.2 SSD drives .	Graphics Card	GPU Memory: 8 GB GDDR6 Interface : 128-bit Bandwidth : Up to 160 GB/s System Interface: PCI Express 3.0 x 16 System should support up to NVidia RTX A5000 24GB CARD in future ready. Certified drivers for CAD applications to be supplied	Keyboard and Mouse	Minimum 104 keys USB Keyboard and USB Optical Scroll mouse - Same make as that of the workstation	Audio	High-Definition Integrated Audio with Internal speaker.	Communications	Integrated Intel® I219LM GbE Controller with Intel® vPro™ with Intel® AMT 16.0 support	Bays/Slot	5 x Internal/External, 4 x PCI Express Gen5/Gen3, 4 x M.2	Security	Optional for BIOS controlled electro-mechanical internal chassis lock for the system.	Ports	Front I/O - 3 x Type-A/C SuperSpeed USB , Rear I/O - 2 x DisplayPort 1.4 [3], 5 x USB	Operating System	Genuine Win 11 Pro 64 . (OEM declaration for genuineness must be attached.) All drivers required for proper integration of components should be supplied by the vendor. All latest drivers should be available to download from vendor's website. System should support for Red Hat® Enterprise Linux Desktop 8.3 or Higher	01
Features	Qualifying Minimum Requirements																															
Processor	Intel® Core TM i9-13900K (3GHz P-Core base frequency, 2.2GHz E-Core base frequency, up to 4.3GHz E-Core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 36MB L3 cache, 8 P-cores and 16 E-cores, 32 threads)																															
Chipset	Intel® W680 chipset																															
RAM	64GB DDR5 ECC Memory 4800MHz or better 4 DIMM slots, supporting up to 128 GB																															
BIOS	BIOS of the Workstation to have tool for Enhanced security features like self-healing, regular checks.																															
Drive Controllers	Integrated SATA controller with minimum 4 x 6Gbps ports & SATA Controller should support RAID 0,1 .																															
HDD	1 TB PCIe-4x4 2280 TLC M.2 SSD Drive . System should support additional 3 SATA & 2 x M.2 SSD drives .																															
Graphics Card	GPU Memory: 8 GB GDDR6 Interface : 128-bit Bandwidth : Up to 160 GB/s System Interface: PCI Express 3.0 x 16 System should support up to NVidia RTX A5000 24GB CARD in future ready. Certified drivers for CAD applications to be supplied																															
Keyboard and Mouse	Minimum 104 keys USB Keyboard and USB Optical Scroll mouse - Same make as that of the workstation																															
Audio	High-Definition Integrated Audio with Internal speaker.																															
Communications	Integrated Intel® I219LM GbE Controller with Intel® vPro™ with Intel® AMT 16.0 support																															
Bays/Slot	5 x Internal/External, 4 x PCI Express Gen5/Gen3, 4 x M.2																															
Security	Optional for BIOS controlled electro-mechanical internal chassis lock for the system.																															
Ports	Front I/O - 3 x Type-A/C SuperSpeed USB , Rear I/O - 2 x DisplayPort 1.4 [3], 5 x USB																															
Operating System	Genuine Win 11 Pro 64 . (OEM declaration for genuineness must be attached.) All drivers required for proper integration of components should be supplied by the vendor. All latest drivers should be available to download from vendor's website. System should support for Red Hat® Enterprise Linux Desktop 8.3 or Higher																															

--	--	--	--	--	--	--	--	--	--

Note: Rates should be quoted only in accordance with the above mentioned table, failing which their offer is liable for rejection.

8. The bidder is required to clearly mention that they agree to all the terms and conditions of this quotation, and it should be given on their printed letterhead indicating Sales Tax Registration, FAX, Email, Telephone numbers, etc.
9. Offers of those firms will only be considered by the Institute, whose bids are meeting all the technical specifications/parameters given for the above-required equipment. If any of the given specifications/parameters do not meet the required specifications as mentioned above, their offer will not be considered and shall be summarily rejected by the Institute.
10. **Comparison of Rates:** Comparison of Rates shall be made after adding the taxes, etc., and given in the above Table.
11. **Payment:** 100% payment shall be released on a bill basis after the entire supply and inspection and acceptance of the equipment in good condition and balance. However, a Bank Guarantee of 3% amount of the the ordered valued shall be provided by you to cover the warranty obligations.
12. **Delivery:** The agency would be required to supply the equipment within a period of four weeks from the date of issue of the supply order if placed with your firm.
13. **Penalty:** Penalty @ 0.5% per week will be charged for late supply subject to a maximum of 5% on the amount of equipment which has been supplied late.
14. The above quantity of the equipment is approximate; the same may be reduced or increased at the time of issuing supply order(s), depending upon the requirement of the Institute.
15. The Institute reserves the right to accept or reject any quotations straightway without assigning any reasons.
16. **Last Date of Submission of Quotations:** Quotations in all respects in a sealed cover superscribing **Quotations for supply of Workstation Computer for MSRDC Project**” should reach the Purchase Officer, Wildlife Institute of India, Chandrabani, Dehradun-248001, Uttarakhand on or before **9 April 2024 upto 1700 hrs**. Quotations received late will not be accepted by the Institute.

Yours faithfully,

(K.K. Shrivastava)
Purchase Officer